# light. speed ahead.

## The new spectro::lyser V3



# s::can

Intelligent. Optical. Online.

## Optical information ring

The color of the optical information ring signals the state of the sensor.



| everything okay | sensor in service mode | parameter or device alarm |

## Three different optical path lengths

The perfect measuring range and accuracy for every application.



| drinking water: 35 mm | surface water: 5 mm | waste water: 1 mm |

## Revolutionary precision

Improved optical efficiency and intelligent algorithms.

## Fast measurement interval

Every 10 seconds, no delays, detects events immediately.

## Huge 8 GB onboard memory

Allows logging data for longterm monitoring.

## Extremely power efficient

Sleep mode with only 2 mW power consumption.

## Wireless communication

Communicates directly with your mobile device via **Bluetooth** or WLAN. No terminal required.

## Web server on board - IoT enabled

No additional software is needed to configure the probe.

### spectro::lyser V3
online water monitoring

| COD | NO$_3$ |
|-----|--------|
| 108 mg/l | 21 mg/l |
| 12-May-2018 12:00 | 12-May-2018 12:00 |

| BOD | TSS |
|-----|-----|
| 102 mg/l | 203 mg/l |
| 12-May-2018 12:00 | 12-May-2018 12:00 |

# Wireless communication - Io::Tool

Intuitive web interface for data visualization and configuration of the spectro::lyser V3.



## View all your data at a glance on your mobile device

Io::Tool visualizes measurement data, time series, fingerprints and status information.



## Intelligent IoT enabled spectrometer probe with integrated webserver for smart water quality monitoring

Configure your spectro::lyser, install new parameters, perform calibrations.



## spectro::lyser V3 in remote / stand-alone application

Thanks to the WLAN and Bluetooth remote connection in combination with Ethernet the spectro::lyser can be used as stand-alone probe.

# Choose your parameters

Freely configure your spectro::lyser for your application.
You only pay for the parameters you want to measure. Add new parameters any time.

| | Drinking Water | | Environmental | | Municipal Waste Water | | | Industrial | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Drinking Water | Ground Water | River/Surface Water | Sea Water | Effluent Municipal | Aeration | Influent Municipal | Dairy | Paper Influent | Paper Effluent | Brewery |
| | d | g | r | o | e | l | i | m | p | q | b |
| TSS | | | ✓ | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ |
| TS | | | | | | ✓ | | | | | |
| Turbidity | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | | | |
| Color app / true | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | | | |
| TOC | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | | | |
| DOC | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | | | |
| BOD | | | ✓ | | ✓ | | ✓ | | | | |
| COD / CODf | | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| NO3-N / NO3 | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ |
| Chloramine | ✓ | | | | | | | | | | |
| HS- | | ✓ | ✓ | | | | ✓ | | | | |
| O3 | ✓ | | | | ✓ | | | | | | |
| CLD | ✓ | | | | | | | | | | |
| Chl-a | | | ✓ | | | | | | | | |
| BTX | | ✓ | ✓ | | | | | | | | |
| UV254 t / UV254 f | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ |
| UV436 t / UV436 f | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ |
| Single wavelength | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ |
| Temperature | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ |
| Fingerprint | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ |
| Fingerprint comp | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ |

Configure your spectro::lyser, install new parameters and perform calibrations.

# spectro::lyser V3

high performance online water quality monitoring - fingerprints and spectral alarms,-
TSS, turbidity, NO3-N, COD, BOD, TOC, DOC, UV254, color, BTX, O3, HS

| | |
|---:|:---|
| Simplicity | Communicates directly with your smartphone via **Bluetooth** |
| Ingenuity | Web server on board, IoT enabled |
| Transparency | Transmits sensor status via optical information ring |
| Precision | Provides a new level of optical performance in all applications |
| Integrity | With 10000 sensors in the field, we know how to make affordable spectrometers last forever |

**3x** more stable and precise*

spectro::lyser V2     V3

**6x** more measurement speed*

spectro::lyser V2     V3

**10x** more power efficiency*

spectro::lyser V2     V3

**100x** more communication skills*

spectro::lyser V2     V3

**12000x** more onboard memory*

spectro::lyser V2     V3

\* ... remaining the undisputed leader in all disciplines

## Use it stand-alone or with the high-end terminal con::cube V3

The spectro::lyser V3 is very versatile. You can simply connect it via Bluetooth or WLAN with your mobile device. Configure the spectro::lyser V3 via the user-friendly webinterface Io::Tool and visualize data there. For even more possibilities on connecting/interfacing other sensors, SCADA or any central database the terminal con::cube V3 is the perfect solutions. It is a compact, powerful and versatile terminal for data acquisition and station control. Due to its low power consumption, this terminal fits the requirements for operation in remote installation sites.

mobile device with Io::Tool

con::cube V3 terminal with moni::tool

## HEADQUARTERS

s::can Messtechnik GmbH
Brigittagasse 22-24
1200 Vienna, AUSTRIA
T: +43 / 1 / 219 73 93
F: +43 / 1 / 219 73 93-12
sales@s-can.at, www.s-can.at

## CHINA

Rm D /17F Building B
1118 Changshou Rd.
200042 Shanghai
T: (+86-21) 34 06 03 11
F: (+86-21) 34 06 03 11
lxiao@s-can.cn, www.s-can.cn
Status: Representative Office

## FRANCE

s::can France SARL
370 route de Saint Canadet
13100 Aix en Provence
T: + 33 4 42 20 35 01
F: + 33 9 82 25 35 01
sales@s-can.fr, www.s-can.fr
Status: Affiliate

## ITALY

s::can contact Italy
Alessandro Morra
T: +39 333 983 5634
amorra@s-can.at
Status: Regional Sales Manager

## MEXICO

s::can Mexico Sistemas de
Medición S. de R.L. de C.V
sales@s-can.mx
www.s-can.mx
Status: Affiliate

## PORTUGAL

s::can contact Portugal
Vincenzo Rocca
T: +351 91 569 4663
vrocca@s-can.at
Status: Regional Sales Manager

## SPAIN

s::can Iberia Sistemas de
Medición S.L.U.
Ciutat de Granada 28 bis,
1a Planta, 08005 Barcelona
T: +34 930 218 447
sales@s-can.es, www.s-can.es
Status: Affiliate

## USA

s::can Measuring Systems LLC
38C George Leven Drive
North Attleboro, MA 02760
T: +1 (888) 694-3230
F: +1 (888) 469-5402
sales@s-can.us, www.s-can.us
Status: Affiliate

# s::can

Intelligent. Optical. Online.